



**DECLARATION OF CONFORMITY**  
***No. DC-403098-TERM***

Present declaration has been compiled by

**JELD-WEN Suomi OÜ**  
(hereinafter “manufacturer”)  
Jyväskylätie 288  
Vääksy  
17200, FINLAND

in the name and authority of

**JELD-WEN Eesti AS**  
(hereinafter “authorized representative”)  
Reg. 10247977  
Arkna tee 1a, EE-44317 Rakvere, Estonia

to confirm that

**rebated DM doors**

which are intended to be used in indoor constructions where temperature difference on each side of the door does not exceed 5° C, are in accordance with the requirements of European standard EN 12400:2003/ EVS-EN 12400:2003.

Product’s conformity was tested in JELD-WEN Eesti AS laboratory according to European standard EN1191:2000. Rebated DM doors are classified into class 5 (*normal*). (Test report 22/04-2014 no. 64 issued by JELD-WEN Eesti AS, Arkna tee 1a, Rakvere) and these products are part of factory production control in compliance with factory production control system.

All other information about product’s declarable characteristics and classes can be found on web page [www.jeld-wen.ee](http://www.jeld-wen.ee)

05/05-2016 Rakvere

A handwritten signature in blue ink, appearing to read 'Keijo Erkheikki', with a long horizontal flourish extending to the right.

Keijo Erkheikki  
Coordinating Factory Manager Estonia & Finland